

# UTILITY SURVEY



## Notes:

- PLEASE NOTE, POT HOLE LOCATIONS CAN BE IDENTIFIED AS (a) LINE LOCATE AREAS IDENTIFIED AS (b)
- PLEASE NOTE, ANY POINTS WITH A ZERO DEPTH INDICATE WHERE A POINT HAS BEEN SURVEYED DIRECTLY ON TOP OF AN EXPOSED SERVICE OR REFERS TO AN ITEM SURVEYED TO A QUALITY LEVEL D.
- FEATURE SURVEY PROVIDED BY THE CLIENT IS USED FOR CLIENT REFERENCE ONLY. ABAXA TAKES NO RESPONSIBILITY FOR THE ACCURACY OF THIS SURVEY.

Horizontal: PCG94 Vertical : AHD (AUSGEIOD9)

## Utility Key


— AAPT	— OTHER POWER
— AARNET	— PTA POWER
— LOCAL COUNCIL COMMS	— MRWA POWER
— MRWA COMMS	— APA
— NBN	— ATCO HP GAS
— NEXTGEN	— ATCO MP GAS
— OPTUS	— DAMPIER TO BUNBURY GAS
— OTHER COMMS	— OTHER GAS
— PIPENETWORKS	— BP OIL
— PTA COMMS	— WATER
— TELSTRA	— FIRE SERVICE
— VOCUS	— OTHER WATER
— VERIZON OF	— SEWER PRESSURE
— WESTERN POWER COMMS	— SEWER GRAVITY
— WESTERN POWER DATA	— OTHER SEWER
— WESTERN POWER HV	— DRAINAGE
— WESTERN POWER LV	— COUNCIL DRAINAGE
— WESTERN POWER TRANSMISSION	— OTHER DRAINAGE
— STREET LIGHT POWER	— EARTH CABLE
— COUNCIL POWER	— UNKNOWN

## Material Code

AC ASBESTOS CONCRETE	GRP GLASS REINFORCED PLASTIC
C CONCRETE	HDPE HIGH-DENSITY POLYETHYLENE
CI CAST IRON	MDPE MEDIUM-DENSITY POLYETHYLENE
CU COPPER	PE POLYETHYLENE
DB DIRECT BURIED	PVC POLYVINYLCHLORIDE
DI DUCTILE IRON	RC REINFORCEMENT CONCRETE
GI GALVANIZED IRON	S STEEL
GS GALVANIZED STEEL	VC VITRIFIED CLAY

## Explanation of Utility Code of Practice (AS5488-2013)

QUALITY LEVELS (AS5488-2013)  
 QLA = Precise Position accuracy = +/- 50mm  
 QL B = Scanned Position accuracy = +/- 300mm H +/- 500mm V  
 QLC = Surface Features  
 QLD = Inaccurate Position (DBYD) accuracy = 5m



Client:	Sample	
Title:	Sample	Sheet Number: 1 of 1
Drafted By:	Name	Located By: Sample
Scale @ A1:	ample	Revision: Sample
Drawing Number:	Sample	Date: Date
		Coordination: Coordinator

(b)50P Depth: 0.50m

(b)50P Depth: 0.50m

(b)50P Depth: 0.50m

(b)50P Depth: 0.50m

(b)50P Depth: 0.50m

(b)80P Depth: 0.70m

(b)80P Depth: 0.50m

(b)915S Depth: 0.60m

(b)205S Depth: 0.50m

(d)AB100Cl Depth: m

(b)100x4(EOB) Depth: 0.50m